

OUTDOOR COLLECTION



Lighthouse
Top Model House - Polish edition
Gas Patio Heater

ETHANOL OUTDOOR FIRES

COMMERCE TECHNOLOGY™ *(Absorbent Ceramic Fibers)*



FEATURES

- Easy refilling system
- Safe burning technology
- No electricity required

OPTIONAL ACCESSORIES



	TOTEM	JAR	RONDO	SIMPLE	DANCING FLAMES
	[ØxH] 395 x 1070 mm	[ØxH] 410 x 795 mm	[ØxH] 412 x 412 mm	[ØxH] 308 x 418 mm	[ØxH] 251 x 361 mm
	24.5 kg	41.5 kg	70kg	6.5 kg	3 kg
	max. 2.5 kW	max. 2.5 kW	max. 2.5 kW	max. 2.5 kW	max. 2.5 kW
	3.0 L	3.0 L	3.0 L	1.5 L	1.5 L
	max. 7 h	max. 7 h	max. 7 h	max. 3.5 h	max. 3.5 h
	min. 25 m³	min. 25 m³	min. 25 m³	min. 25 m³	min. 25 m³




Totem/Simple Commerce
The Address Downtown

GALIO INSERT

GAS OUTDOOR FIRES

GALIO INSERT AUTOMATIC




FEATURES

- LPG/NG fueled
- Remote control
- SHS compatible
- Thermocouple
- Smooth flame height regulation
- Easy to install




GALIO INSERT MANUAL




FEATURES

- LPG/NG fueled
- Manual control
- Thermocouple
- Smooth flame height regulation
- Easy to install



OPTIONAL ACCESSORIES




	GALIO INSERT AUTOMATIC		GALIO INSERT MANUAL
	Galio Insert Automatic 2000	Galio Insert Automatic 1000	Galio Insert Manual
	(NG) max. 16.5 kW (LPG) max. 16.5 kW	(NG) max. 9.4 kW (LPG) max. 11.8 kW	(NG) max. 13.6 kW (LPG) max. 11.8 kW
	(NG) max. 1.75 m³/h (LPG) max. 1.30 kg/h	(NG) max. 1.0 m³/h (LPG) max. 0.93 kg/h	(NG) max. 1.22 m³/h (LPG) max. 0.93 kg/h
	(NG) 20 mbar (LPG) 37 mbar	(NG) 20 mbar (LPG) 37 mbar	(NG) 20 mbar (LPG) 37 mbar
	33.0 kg	21.0 kg	13.0 kg

GALIO INSERT

GAS OUTDOOR FIRES

GALIO CORTEN/GALIO BLACK AUTOMATIC




FEATURES

- LPG/NG fueled
- Remote control
- SHS compatible
- Thermocouple
- Smooth flame height regulation
- Freestanding




GALIO CORTEN/GALIO BLACK MANUAL



FEATURES

- LPG/NG fueled
- Manual control
- Thermocouple
- Smooth flame height regulation
- Freestanding



OPTIONAL ACCESSORIES



	GALIO BLACK AUTOMATIC / GALIO CORTEN AUTOMATIC	GALIO BLACK MANUAL / GALIO CORTEN MANUAL
	(NG) max. 9.4 kW (LPG) max. 11.8 kW	(NG) max. 13.6 kW (LPG) max. 11.8 kW
	(NG) max. 1.0 m³/h (LPG) max. 0.93 kg/h	(NG) max. 1.22 m³/h (LPG) max. 0.93 kg/h
	(NG) 20 mbar (LPG) 37 mbar	(NG) 20 mbar (LPG) 37 mbar
	31.0 kg	31.0 kg



Galio Corten
Outdoor Gas Fireplace



Galio Black
Outdoor Gas Fireplace



Galio Insert Automatic
Outdoor Gas Burner

GALIO FIRE PIT

GAS OUTDOOR FIRES

GALIO FIRE PIT INSERT AUTOMATIC



FEATURES

- LPG/NG fueled
- Remote control
- SHS compatible
- Thermocouple
- Smooth flame height regulation
- Decorated with black diamond stones
- Easy to install

GALIO FIRE PIT CORTEN/BLACK AUTOMATIC



FEATURES

- LPG/NG fueled
- Remote control
- Thermocouple
- Smooth flame height regulation
- Decorated with black diamond stones
- Freestanding

OPTIONAL ACCESSORIES



	GALIO FIRE PIT INSERT AUTOMATIC	GALIO FIRE PIT CORTEN AUTOMATIC GALIO FIRE PIT BLACK AUTOMATIC
	(NG) max. 4.7 kW (LPG) max. 5.1 kW	
	(NG) max. 0.5 m³/h (LPG) max. 0.4 kg/h	
	(NG) 20 mbar (LPG) 37 mbar	
	15.0 kg	65.0 kg

GALIO STAR

GAS OUTDOOR FIRES

GALIO STAR INSERT AUTOMATIC



FEATURES

- LPG/NG fueled
- Remote control
- SHS compatible
- Thermocouple
- Smooth flame height regulation
- Decorated with black diamond stones
- Easy to install

GALIO STAR CORTEN/BLACK AUTOMATIC



FEATURES

- LPG/NG fueled
- Remote control
- Thermocouple
- Smooth flame height regulation
- Decorated with black diamond stones
- Freestanding

OPTIONAL ACCESSORIES



	GALIO STAR INSERT AUTOMATIC	GALIO STAR CORTEN AUTOMATIC GALIO STAR BLACK AUTOMATIC
	(NG) max. 16.4 kW (LPG) max. 17.3 kW	
	(NG) max. 1.5 m³/h 53.0 ft³/h (LPG) max. 1.4 kg/h 3.1 lbs/h	
	(NG) 20 mbar 8.0"wc (LPG) 37 mbar 14.9"wc	
	17.0 kg / 37.5 lbs	37.0 kg / 81.6 lbs



Galio Star Black
Outdoor Gas Fireplace



Galio Fire Pit Insert Automatic
Outdoor Gas Burner



Galio Fire Pit Black
Outdoor Gas Fireplace



Galio Star Corten Automatic
Outdoor Gas Fireplace

GALIO H INSERT AUTOMATIC

GAS OUTDOOR FIRES



FEATURES

- LPG/NG fueled
- Remote control
- SHS compatible
- Thermocouple
- Smooth flame height regulation
- Decorated with black diamond stones
- Easy to install

OPTIONAL ACCESSORIES



LIGHTHOUSE

GAS OUTDOOR FIRES



FEATURES

- LPG fueled
- Thermocouple
- Tempered glass
- Anti-tilt valve
- Decorated with black diamond stones
- Freestanding

OPTIONAL ACCESSORIES



	GALIO H INSERT AUTOMATIC	LIGHTHOUSE
	(NG) max. 9.4 kW (LPG) max. 11.8 kW	(LPG) max. 7.0 - 10.0 kW
	(NG) max. 1.0 m³/h (LPG) max. 0.9 kg/h	(LPG) max. 0.50 - 0.65 kg/h
	(NG) 20 mbar (LPG) 37 mbar	(LPG) 37 mbar
	23.6 kg	27.5 kg



Lighthouse
Gas Patio Heater







Bubble Wall
Automatic Ethanol



Bubble Wall & Floor
Automatic Ethanol



Chantico Glassfire
Commerce Technology



Senso Burner
Automatic Ethanol



Faro
Outdoor Gas Fireplace



Square Table
Outdoor Gas Fireplace



Square
Outdoor Gas Fireplace



Rio
Outdoor Gas Fireplace

SENSO

AUTOMATIC ETHANOL BURNER (Net Zero fireplace with BEV Technology®)



SENSO BURNER




FEATURES

- Automatic refilling system
- Remote control
- 2 levels of flame
- Safety sensors

OPTIONAL ACCESSORIES



SENSO BASKET



FEATURES

- Automatic refilling system
- Remote control
- 2 levels of flame
- Safety sensors
- Decorative grate with logs included

SENSO FIREPLACE



FEATURES

- Automatic refilling system
- Remote control
- 2 levels of flame
- Safety sensors

DETACHABLE SIDE PANELS



OPTIONAL ACCESSORIES



BUBBLE FLOOR



FEATURES

- Automatic refilling system
- Remote control
- 2 levels of flame
- Safety sensors
- Attachable oak legs
- Wall mounted option

OPTIONAL ACCESSORIES



BUBBLE WALL



FEATURES

- Automatic refilling system
- Remote control
- 2 levels of flame
- Safety sensors
- Wall mounted


OPTIONAL ACCESSORIES



	SENSO BURNER	SENSO BASKET	SENSO FIREPLACE	BUBBLE FLOOR	BUBBLE WALL
🔥	max. 2,5 kW	max. 2,5 kW	max. 2,5 kW	max. 2,5 kW	max. 2,5 kW
🚰	1.3 L	1.3 L	1.3 L	1.3 L	1.3 L
🕒	max. 4.5 h	max. 4.5 h	max. 4.5 h	max. 4.5 h	max. 4.5 h
🏠	min. 25 m³	min. 25 m³	min. 25 m³	min. 25 m³	min. 25 m³
📦	10 kg	13 kg	23 kg	24 kg	24 kg
🔌	230 V	230 V	230 V	230 V	230 V

RIO

FREESTANDING GAS FIREPLACE *(Gas Technology)*



- FEATURES
- LPG fueled
 - Manual control
 - Portable
 - Robust design
 - Low operation cost
 - Black glass gravel included

OPTIONAL ACCESSORIES




FARO

PORTABLE GAS FIREPLACE *(Gas Technology)*



- FEATURES
- LPG fueled
 - Clean combustion
 - Portable
 - Gas cylinder compartment
 - Low operation cost
 - Black glass gravel included

OPTIONAL ACCESSORIES



	FARO	RIO
	(LPG) max. 5.0 - 8.0 kW	(LPG) max. 7.0 - 10.0 kW
	(LPG) max. 0.4 - 0.5 kg/h	(LPG) max. 0.50 - 0.65 kg/h
	max. 55 hrs	max. 55 hrs
	(LPG) 37 mbar	(LPG) 37 mbar
	20.0 kg	13.2 kg

SQUARE

FREESTANDING GAS FIREPLACE *(Gas Technology)*

SQUARE TABLE



- FEATURES
- LPG fueled
 - Clean combustion
 - Portable
 - Built-in space for a gas cylinder up to 5 kg
 - Low operation cost
 - Black glass gravel included

OPTIONAL ACCESSORIES



SQUARE TABLE



- FEATURES
- LPG fueled
 - Clean combustion
 - Portable
 - Built-in space for a gas cylinder up to 5 kg
 - Low operation cost
 - Black glass gravel included

OPTIONAL ACCESSORIES



	SQUARE	SQUARE TABLE
	(LPG) max. 7.0 - 10.0 kW	(LPG) max. 7.0 - 10.0 kW
	(LPG) max. 0.50 - 0.65 kg/h	(LPG) max. 0.50 - 0.65 kg/h
	max. 55 hrs	max. 55 hrs
	(LPG) 37 mbar	(LPG) 37 mbar
	22.0 kg	32.0 kg

CHANTICO GLASSFIRE

ETHANOL BURNER *(Commerce Technology®)*



FEATURES

- Clean and efficient fire
- Portable
- Best build quality
- Decorative stones included

	CHANTICO GLASSFIRE
	max. 2.5 kW
	1.5 L
	max. 3.5 h
	min. 25 m³
	4 kg

All product specifications and data are subject to change without notice and are believed to be accurate as of the date hereof. Planika Sp. z o.o., its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "Planika Sp. z o.o."), disclaim any and all liability for any errors, inaccuracies or incompleteness contained in any document or in any other disclosure relating to any product. To the maximum extent permitted by applicable law, Planika Sp. z o.o. disclaims any and all liability arising out of the application or use of any product. This document does not expand or otherwise modify Planika Sp. z o.o.'s terms and conditions of purchase, including but not limited to the warranty expressed therein. No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document or by any conduct of Planika Sp. z o.o.. Customers using or selling Planika Sp. z o.o.'s products not expressly indicated for use in such applications do so entirely at their own risk and agree to fully indemnify Planika Sp. z o.o. for any damages arising or resulting from such use or sale. The images are indicative only.